

TASKalfa MZ3200i: A revolutionary versatile printer

The TASKalfa MZ3200i is a truly reliable A3 monochrome MFPs for small to medium sized workgroups in any businesses or professional workplaces where high productivity, high reliability and optimal investments are required.



TASKalfa MZ3200i



Up to 32 pages per minute

Standard 1,100-sheet capacity

Intuitive display

Enhanced security

Proven reliability

TASKalfa MZ3200i

GENERAL

Operation panel: 256.5 mm (10.1 inch) full-colour touch panel display, speaker for job notification, 15° - 90° swivel mounted

Engine speed:

Up to 32 pages A4 per minute, up to 17 pages A3 per minute
Duplex print speed: 29 page per minute, A4
Duplex copy speed: 32 page per minute, A4

Resolution: 1200 x 1200 dpi (at reduced speed), 600 x 600 dpi (scan/copy)

Warm-up time: Approx. 18 seconds or less

Time to first print: Approx. 4.9 seconds or less

Time to first copy: Approx. 6.3 seconds or less (DP7140 installed), approx. 4.3 seconds or less (Platen)

CPU: PANTHER ARM A53 1.6GHz

Memory: Standard 4GB + 32GB SSD, 320GB or 1TB HDD optional

Standard interface: USB 3.0 (Super-Speed USB), 4 x USB Host Interface, Gigabit Ethernet (10BaseT/100BaseTX/1000BaseT, IPv6, IPv4, IPSec, 802.3az support), optional Wi-Fi (IEEE 802.11b/g/n), 2 eKUIO slots for optional internal print server or for optional fax system, slot for optional Wireless LAN, Slot for optional SD Card, NFC tag

Dimensions (W x D x H): 594 x 696 x 683 mm

Weight: Approx. 58 kg

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption: Printing: 510 W, copying: 510 W, low power mode: 70 W, ready mode: 100 W, sleep-mode: 0.5 W

Noise: Sleep mode: Immeasurably low, ready mode: Immeasurably low, printing: 46.9 dB (A)

Safety standards: TÜV/GS, CE

PAPER HANDLING

All paper capacities quoted are based on paper thickness of max. 0.11mm. Please use paper recommended by Kyocera under normal environmental conditions.

Input capacity: Multi-purpose tray: 100 sheets, 45 – 256 g/m² (A4/Letter or smaller), 52 – 163 g/m² (A4/Letter or larger), standard universal paper cassette: 2 x 500 sheet, 60 – 163 g/m², max. input capacity with options: 4,100 sheets A4

Duplex: Standard, 60 – 163 g/m² A3 – A5R

Output capacity: Standard 250 sheets face-down

PRINT FUNCTIONS

Controller language: Prescribe

Emulations: PCL6 (PCL5c / PCL-XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print and OpenXPS

Operating systems: All current Windows operating systems, MAC OS X Version 10.9 or higher, Linux as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL), 136 fonts (KPDL 3), 4 fonts (Calibri), 4 fonts (Cambria), 1 Bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)

Print features: Print features: Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3, quick copy, proof and hold, private print, job storage and job management functionality

Mobile printing support: Mobile printing support: AirPrint, Mopria, Google Cloud Print compliant, NFC, Direct Wi-Fi (optional), MyPanel and KYOCERA Mobile Print app for iOS and Android

COPY FUNCTIONS

Max. original size: A3/Ledger

Continuous copying: 1 – 9999

Zoom range: 25–400%, in 1% steps

Preset magnification ratios: 5 Reductions / 5 enlargements

Exposure mode: Auto, manual: 17 steps

Image adjustments: Text + photo, photo, text, diagram/map

Features: Scan-once-copy-many, electronic sort, 2in1, 4in1, image repeat, page numbering, cover mode, booklet copy, interrupt copy, form overlay, margin shift, auto cassette change, skip blank page, ID copy, Original skew correction, Multipage form mode (when DP-7160/7170 installed only)

SCAN FUNCTIONS

Functionality: Scan-to-email, scan-to-FTP, scan-to-SMB 3.0, scan-to-USB host, scan-to-box, network TWAIN, WSD scan (WIA Driver Network)

Scan speed:

200 ipm (300 dpi, A4, duplex, b/w, with DP-7160/DP-7170)

Scan resolution: 600dpi x 600dpi, 400dpi x 400dpi, 200dpi x 400dpi, 300dpi x 300dpi, 200dpi x 200dpi, 200dpi x 100dpi, 1200dpi x 1200dpi (only TWAIN driver and WIA driver), 256 greyscales per colour

Max. scan size: A3, Ledger

Original recognition: Text, photo, text + photo, Light Text / Fine Line, optimised for OCR

File types: TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1a/b, PDF/A-2a/b/u, Searchable PDF(Optional), MS Office file (Option)

FAX FUNCTIONS

Compatibility: ITU -T Super G3

Modem speed: Max. 33.6 kbps

Transmission speed: Less than 3 seconds (JBIG)

Scanning speed: 2.0 seconds or less

Address book: 2000 entries

Scanning density:

Normal: 8 dot/mm x 3.85 line/mm (200 x 100 dpi),

Fine: 8 dot/mm x 7.7 line/mm (200 x 200 dpi),

Superfine: 8 dot/mm x 15.4 line/mm (200 x 400 dpi),

Ultrafine: 16 dot/mm x 15.4 line/mm (400 x 400 dpi),

Halftone: 256 grey scales

Maximum original size: A3, Ledger, Banner: 1600mm

Compression method: JBIG, MMR, MR, MH

Features: Network faxing, rotate transmission, rotate reception, encrypted transmission and reception, duplex fax reception, memory reception, mailbox, remote diagnostics, polling transmission and reception, broadcast, Optional Internet-fax, dual fax with second fax system 12

CONSUMABLES

Toner Kit: TK-7135K, toner black for 20,000 pages A4

Staple: SH-10, 3 x 5,000 staples, for DF-7120, SH-12, 3 x 5,000 staples, for DF-791

Options: Fax System 12, Internet Fax Kit (A) AC, Scan Extension Kit (A) AC, Scan to searchable PDF solution (embedded OCR), convert to PDF or MS Office (docx, xlsx, pptx)

Paper handling:

DP-7140 Document processor: (Reversing), 50 sheets, 45–160 g/m² (simplex), 50–120 g/m² (duplex), A5R – A3, banner up to 1,900 mm

DP-7150 Document processor: (Reversing), 140 sheets, 35–160 g/m² (simplex), 50–120 g/m² (duplex), A6R–A3, Banner up to 1,900 mm

DP-7160 Document processor: (one-path duplex scanning), 320 sheets at 50 - 80 g/m², 35–220 g/m² (simplex), 50–220 g/m² (duplex), A6R–A3, Banner up to 1,900 mm

DP-7170 Document processor: (one-path duplex scanning with ultrasonic sensor), 320 sheets at 50 - 80 g/m², 35–220 g/m² (simplex), 50–220 g/m² (duplex), A6R–A3, Banner up to 1,900 mm

PF-791: 500 sheets x 2 desks, 60–256 g/m², A5R–A3

PF-810: 3,000 sheets A4, 60–256 g/m², A4, B5, Letter

DF-791 Document Finisher + AK740, Main tray: 3,000 sheets A4, 60–256 g/m², B5R–A3, Stapling up to 65 sheets A4 or 30 sheets A3 at 3 positions, B5–A3, *Bridge unit AK-740 required when using finisher

DF-7120 Document finisher + AK-740, 1,000 sheets A4 52–300 g/m², A6R–SRA3, Stapling up to 50 sheets A4 or 30 sheets A3 at 3 positions, *Bridge unit AK-740 required when using finisher

PH-7A/B/C/D for DF-791 and DF-7120, 2-hole/4-hole/Swedish type, 45–300 g/m², A5R–A3

MT-730(B) Mailbox sorter for DF-791, 7 bins x 100 sheets A4, 50 sheets A3/B4, 60–163 g/m²

Storage: HD-15: HDD 320 GB, HD-16: HDD 1 TB, NK-7120: Numeric keypad, Keyboard Holder 10, UG-33 AC: ThinPrint support, Emulation (IBM Proprinter/EPSON LQ-850/Diablo 630), USB IC Card Reader + Card Authentication Kit (B) AC Support for various authentication keys available. The card holder is standard.

Optional interface:

IB-37: Wireless Network Interface (USB : 5GHz/2.4GHz)

IB-38: Wireless Network Interface (USB : 2.4GHz)

IB-50: Gigabit-Ethernet board 10 BaseT/100 BaseTX/1,000 BaseT

IB-51: Wireless LAN Interface (802.11b/g/n)

Document Processing Options

 <p>DP-7170 Dual Scan Document Processor 320-sheet capacity w/ multi-feed & staple detect 100 ipm simplex / 200 ipm duplex</p>	 <p>DP-7160 Dual Scan Document Processor 320-sheet capacity w/ multi-feed detection 100 ipm simplex / 200 ipm duplex</p>	 <p>DF-7150 Reversing Auto Document Processor 140-sheet capacity 80 ipm simplex / 48 ipm duplex</p>	 <p>DP-7140 Reversing Auto Document Processor 50-sheet capacity 50 ipm simplex / 16 ipm duplex</p>
--	--	--	--


Document Finishing Options

<p>PH-7A 2/3 Hole Punch Unit for the DF-7120 Finisher Resides in the Finisher</p>	 <p>DF-7120 1,000-sheet Finisher Staples up to 50-sheets</p>	 <p>AK-740 Attachment Kit required for both the DF-7120 and DF-791 Finishers</p>	 <p>TASKalfa MZ3200i</p>	 <p>DT-730 (B) Original Holder Optional platform that holds originals prior to copying</p>	 <p>NK-7120 Numeric Keypad Provides additional hard key option for the User Interface</p>
--	--	--	--	--	--

Additional Paper Feeding Options

 <p>MT-730 (B) 7-Bin Mailbox Option Installed on top of the DF-791 Finisher Holds 100-sheets/Bin</p>	 <p>DF-791 3,000-sheet Finisher Staples up to 65-sheets</p>	 <p>PF-791 Dual 500-sheet Paper Tray Option A5R-A3</p>	 <p>PF-810 Dual 1,500-sheet Paper Tray Option A4, B5, Letter</p>
--	---	--	--

<p>IB-37 Wi-Fi 2.4 GHz/5GHz</p>	<p>HD-16 1 TB HDD option</p>	<p>HD-15 HDD option</p>	<p>FAX System I2</p>	<p>Internet FAX Kit (A)</p>	<p>Card Authentication Kit (B)</p>	<p>IB-50 Gigabit Ethernet Board for Dual NIC</p>
<p>IB-51 Wireless LAN NIC (extended range)</p>	<p>PLATEN TYPE E</p>	<p>UG-33 Thin Print</p>	<p>UG-34 Optional Printer Emulation</p>	<p>Scan Extension Kit (A)</p>	<p>Keyboard Holder 10</p>	<p>DT-730 (B) Original Hard Copy Holder</p>



The TASKalfa MZ3200i is a monochrome multifunctional product that is perfect for offices and workgroups with advanced functionality, usability and customisable solutions. TASKalfa MZ3200i provides high productivity and maximum flexibility, whilst ensuring minimum impact on the environment.

HyPAS™



Kyocera Document Solutions Partner

KYOCERA Document Solutions (UK) Ltd
75-77 London Road, Reading RG1 5BS
Tel: 0118 931 1500 – Fax: 0118 931 1108



[kyoceradocumentsolutions.co.uk](https://www.kyoceradocumentsolutions.co.uk)

Kyocera Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.
©2022 KYOCERA Document Solutions Europe, B. V.